



## 1080p Analog HD Vandal-Resistant IR Dome Camera 3.2 - 10 mm Variofocal Lens

---

- Full HD 1080p resolution
- Transmission distance max.500m
- 120 dB super Wide Dynamic Range (WDR)
- Motion detection function with alarming output
- Easy to install

## Technical Specifications

---

<b>Image Sensor</b>	1/2.8" 2Megapixel CMOS
<b>Scanning System</b>	Progressive
<b>Lens Focal Length</b>	3.2 ~ 10mm
<b>Minimum Object Distance</b>	0.5 m
<b>S/N Ratio</b>	>52 dB
<b>Col/B</b>	Auto (ICR) / Color / B/W / External
<b>Sensitivity B/W</b>	0 Lux LED IR on
<b>Lens Drive Type</b>	DC Auto Iris
<b>Focus Adjustment</b>	Manual
<b>Lens Mount</b>	Board-in Type
<b>Digital Noise Reduction</b>	SSNR? ( Off / On )
<b>Intelligent Video Analytics</b>	Motion Detection
<b>BLC Back Light</b>	WDR / BLC / HLC / OFF
<b>WDR</b>	120dB
<b>Video Outputs</b>	BNC (AHD / TVI / CVI / CVBS Selectable)
<b>Privacy zones</b>	8 zones, rectangle
<b>Alarm Outputs</b>	1
<b>Supply Voltage</b>	12 Vdc, 24 Vac
<b>Max. IR Distance</b>	30 m
<b>Video Transmission</b>	500m
<b>Material</b>	Aluminium
<b>Operating Temperature</b>	-30°C ~ +55°C
<b>Humidity</b>	less than 90%, non condensing
<b>Protection Rating</b>	IP66, IK10
<b>Power Consumption (W)</b>	4.2
<b>Weight</b>	0.715 kg - 1.58 lbs
<b>Dimensions</b>	∅ 137 mm - 5.39 In

---

**Product View**

---



this an adiiitonal picture.

Accessories

---



**SBV-136B**  
Junction Box for Samsung  
SNV-Series 6083R, L5083R,  
SCV-5082, 5083, 5083R



**SBP-300NB**  
Samsung Dome Camera Mounting  
Box



**SBP-300B**  
Wall Mount Base



**SBP-300PM**  
Pole mount adaptor



**SHD-3000F3**  
Indoor In-Ceiling Mount



**SBP-301HM2**  
Hanging mount adapter



**SBP-300LM**  
Parapet mount adapter



**SBP-300CM**  
Ceiling Mount Adaptor



**SBP-300WM1**  
Wall bracket

Accessories

---



SBP-300WM  
Wall bracket



SBP-300KM  
Corner Mount Adaptor

## Dimensions

